Docket No.: 214589US0

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

RE: Patent No.: 6,900,152

Applicants: Toru YOSHIDA, et al.

Issued Date: May 31, 2005

For: CATALYST FOR TRIMERIZATION OF ETHYLENE AND PROCESS FOR TRIMERIZING ETHYLENE

USING THE CATALYST

Group Art Unit: 1755

Examiner: J.W. PASTERCZYK

SIR:

Attached hereto for filing are the following papers:

## REQUEST FOR CERTIFICATE OF CORRECTION & CERTIFICATE OF CORRECTION (In Duplicate)

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

OBLON
SPIVAK
MCCLELLAND
MAIER

NEUSTADT P.C.

ATTORNEYS AT LAW

NORMAN F. OBLON
(703) 413-3000
NOBLON@OBLON.COM

JAMES J. KELLY, PH.D. (703) 413-3000

JKELLY@OBLON.COM

Norman F. Oblon

Norman 1. Opioi

James J. Kelly, Ph.D.

Registration No. 41,504

Customer Number

22850

(703) 413-3000 (phone) (703) 413-2220 (fax) UNITED STATES PATENT AND TRADEMARK OFFICE

## **CERTIFICATE OF CORRECTION**

PATENT NO.:

6,900,152

DATED:

May 31, 2005

INVENTOR(S):

Toru YOSHIDA, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

## On The Title Page

"(30) Foreign application Priority Data

May 12, 2000 (JP).....2000-374700" should read

--(30) Foreign application Priority Data

Dec. 5, 2000 (JP).....2000-374700--.

Mailing address of sender:

Patent No.

6,900,152

No. of add'l copies (a) .30 per page

Customer Number

22850

Tel (703) 413-3000 Fax (703) 413-2220 (OSMMN 03-02) •

l of l